

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:** Please amend the claims as follows:

We claim:

**Claim 1. (Original)** A method for determining whether a treatment of a disorder with an HDAC inhibitor is to be started/continued or not comprising

(a) contacting a sample derived from tissue affected by the disorder with an antibody capable of binding to acetylated histone but not to deacetylated histone;

(b) determining the level of histone acetylation in the sample; and

(c) classifying the disorder as to be treated with an HDAC inhibitor when the level of histone acetylation is significantly lower than that of a reference sample.

**Claim 2. (Original)** A method according to claim 1 wherein the antibody is capable of binding to acetylated human histone H4 but not to deacetylated human histone H4, and the level of human histone H4 acetylation is determined in step (b).

**Claim 3. (Previously Presented)** A method according to claim 1 wherein the antibody is a monoclonal antibody.

**Claim 4. (Original)** A method according to claim 3 wherein the antibody is the antibody T25 which is obtainable from the cell line G2M-T25-H4ac deposited at DSMZ.

**Claim 5. (Original)** A method according to claim 3 wherein the antibody is the antibody T52 which is obtainable from the cell line G2M-T52-ac deposited at DSMZ.

**Claim 6. (Currently Amended)** A method according to Claim 1 wherein the disorder is ~~selected from the group consisting of diseases~~ is a tumor disease in which the induction of hyperacetylation of histones has a beneficial effect resulting in differentiation and/or apoptosis of a patient's tumor cells, ~~diseases~~ a disease that show aberrant recruitment of HDAC activity, ~~conditions~~ a condition associated with abnormal gene expression, autoimmune ~~diseases~~ disease, ~~and or proliferative diseases~~ disease.

**Claim 7. (Currently Amended)** A method according to claim 6 wherein the disorder is selected from the group consisting of skin cancer, melanoma, estrogen receptor-dependent and independent breast cancer, ovarian cancer, testosterone receptor-dependent and independent prostate cancer, renal cancer, colon and colorectal cancer, pancreatic cancer, bladder cancer, esophageal cancer, stomach cancer, genitourinary cancer, gastrointestinal cancer, uterine cancer, astrocytomas, gliomas, basal cancer and squameous cell carcinoma, sarcomas as Kaposi's sarcoma and osteosarcoma, head and neck cancer, small cell and non-small cell lung carcinoma, leukemia, lymphomas and other blood cell cancers, ~~and~~ or thyroid resistance syndrome.

**Claim 8. (Previously Presented)** A method according to Claim 1 wherein in step (b) the level of histone acetylation in the sample is determined by flow cytometry, immunohistochemistry, ELISA and/or Western Blotting.

**Claim 9. (Previously Presented)** A method according to Claim 1 wherein the reference sample is a sample derived from tissue from a healthy individual said tissue from a healthy individual corresponding to the tissue affected by the disorder wherein the reference sample is processed according to steps (a) and (b).

**Claim 10. (Previously Presented)** A method according to Claim 1 wherein the reference sample is a further sample derived from tissue affected by the disorder which has been contacted with an HDAC inhibitor wherein the reference sample is processed according to steps (a) and (b).

**Claim 11. (Currently Amended)** ~~The use of an antibody capable of binding to acetylated histone~~ A method for  
~~\_\_\_\_\_determining whether a treatment of a disorder with an HDAC inhibitor is to be started/continued or not; and/or\_\_\_\_\_~~  
~~\_\_\_\_\_the classification of a tumor comprising tumors~~  
(a) contacting a sample derived from a tissue affected by the tumor with an antibody capable of binding to acetylated histone but not to deacetylated histone; \_\_\_\_\_  
(b) determining the level of histone acetylation in the sample; and \_\_\_\_\_  
(c) classifying the tumor as to be treated with an HDAC inhibitor when the level of histone acetylation is significantly lower than that of a reference sample.

**Claim 12. (Withdrawn)** An antibody capable of binding to peptides having the sequence as shown in SEQ ID NO:4 and SEQ ID NO:5 but not to anyone of the peptides having the sequences as shown in SEQ ID NO:6, SEQ ID NO:2, SEQ ID NO:10 and SEQ ID NO:11.

**Claim 13. (Withdrawn)** An antibody capable of binding to peptides having the sequence as shown in SEQ ID NO:4 and SEQ ID NO:5 and SEQ ID NO:6 but not to peptides having the sequence as shown in SEQ ID NO:2.

**Claim 14. (Withdrawn)** An antibody produced by a hybridoma cell line selected from hybridoma cell lines G2M-T25-H4ac and G2M-T52-ac deposited at DSMZ.

**Claim 15. (Withdrawn)** A hybridoma cell line producing an antibody according to claim 12.

**Claim 16. (Withdrawn)** A hybridoma cell line which has the identifying characteristics of the cell line G2M-T25-H4ac deposited at DSMZ.

**Claim 17. (Withdrawn)** A hybridoma cell line which has the identifying characteristics of the cell line G2M-T52-ac deposited at DSMZ.

**Claim 18. (Withdrawn)** A diagnostic kit for determining the level of histone acetylation containing

- (i) an antibody capable of binding to acetylated histone but not to deacetylated histone; (ii) an HDAC inhibitor; and optionally
- (iii) a secondary antibody directed against the antibody of step (i); and optionally
- (iv) reagents for the measurement of a signal derived from an antibody binding to acetylated histones.

**Claim 19. (Withdrawn)** A diagnostic kit according to claim 19 wherein the antibody is the monoclonal antibody termed T25 or the monoclonal antibody termed T52.

**Claim 20. (Withdrawn)** ~~The use of the method according to claim 11 antibodies T25 and/or T52 to direct substances comprising employing antibody T25 and/or antibody T52 or a conjugate thereof conjugated to these antibodies to sites of histone hyperacetylation.~~

**Claim 21. (Withdrawn, Currently Amended)**    ~~A-use~~ The method according to claim 20 wherein the conjugate comprises a radioactive compound ~~conjugated substances are radioactive compounds.~~

**Claim 22. (Withdrawn, Currently Amended)**    ~~A-use~~ The method according to claim 20 wherein the conjugate comprises a ~~conjugated substances are~~ chemotherapeutic or cytotoxic agent agents.

**Claim 23. (Withdrawn, Currently Amended)**    ~~A-use~~ The method according to claim 20 wherein the conjugate is ~~conjugated substances are~~ released by proteolytic cleavage.